

【2020年】

■原著

1. Shikida Y, Mizobuchi M, Yoshitake O, Kato T, Ogata H, Koiwa F, Honda H. Lower soluble Klotho levels in the pretransplant period are associated with an increased risk of renal function decline in renal transplant patients. *Ther Apher Dial.* 2020 Aug 17.
2. Akizawa T, Yamaguchi Y, Majikawa Y, Reusch M. Factors affecting the doses of roxadustat vs darbepoetin alfa for anemia treatment in hemodialysis patients. *Ther Apher Dial.* 2020 Nov 17.
3. Hara T, Kimachi M, Akizawa T, Fukuhara S, Yamamoto Y. Interdialytic Weight Gain Effects on Hemoglobin Concentration and Cardiovascular Events. *Kidney Int Rep.* 2020 Jul 27;5(10):1670-1678.
4. Kato C, Fujii N, Miyakoshi C, Asada S, Onishi Y, Fukuma S, Nomura T, Wada M, Fukagawa M, Fukuhara S, Akizawa T. Changes in 3-month mineral and bone disorder patterns were associated with all-cause mortality in prevalent hemodialysis patients with secondary hyperparathyroidism. *BMC Nephrol.* 2020 Oct 12;21(1):432.
5. Honda H, Kimachi M, Kurita N, Joki N, Nangaku M. Low rather than high mean corpuscular volume is associated with mortality in Japanese patients under hemodialysis. *Sci Rep.* 2020 Sep 24;10(1):15663.
6. Saito T, Mizobuchi M, Hamada T, Sugiyama M, Miyazawa M, Morikawa T, Matsumoto K, Yoshitake O, Aoki T, Murakami M, Honda H. Tumoral calcinosis due to severe hyperphosphatemia and secondary hyperparathyroidism without vascular calcification in a hemodialysis patient. *Clin Nephrol.* 2021 Jan 12. Online ahead of print.
7. Hayashi T, Kato H, Tanabe K, Nangaku M, Hirakata H, Wada T, Sato H, Yamazaki Y, Masaki T, Kagimura T, Yamamoto H, Hase H, Kamouchi M, Imai E, Mizuno K, Iwasaki M, Akizawa T, Tsubakihara Y, Maruyama S, Narita I. Initial responsiveness to darbepoetin alfa and its contributing factors in non-dialysis chronic kidney disease patients in Japan. *Clin Exp Nephrol.* 2020 Sep 19.
8. Ogata H, Shimofurutani N, Okada T, Nagamoto H, Akizawa T. Efficacy and safety of oral tolvaptan in patients undergoing hemodialysis: a Phase 2, double-blind, randomized, placebo-controlled trial. *Nephrol Dial Transplant.* 2020 Sep 9:gfaa148.
9. Iseri K, Qureshi AR, Ripsveden J, Heimbürger O, Barany P, Bergström IB, Stenvinkel P, Brismar TB, Lindholm B. Sparing effect of peritoneal dialysis vs hemodialysis on BMD changes and its impact on mortality. *J Bone Miner Metab.* 2020 Sep 4.
10. Kato T, Mizobuchi M, Sasa K, Yamada A, Ogata H, Honda H, Sakashita A, Kamijo R. Osteoblastic differentiation of bone marrow mesenchymal stem cells in uremic rats. *Biochem*

Biophys Res Commun. 2020 Oct 29;532(1):11-18.

11. Saito T, Mizobuchi M, Miwa Y, Sugiyama M, Mima Y, Iida A, Kanazawa N, Morikawa T, Hayashi J, Fukuda K, Shikida Y, Suzuki T, Honda H. Anti-MDA-5 antibody-positive clinically amyopathic dermatomyositis with rapidly progressive interstitial lung disease treated with therapeutic plasma exchange: A case series. *J Clin Apher.* 2020 Aug 21.
12. Yokoyama K, Fukagawa M, Shigematsu T, Akiba T, Yoshikawa K, Tsuchiya A, Kuwabara M, Akizawa T. Safety and efficacy of etelcalcetide, an intravenous calcimimetic, for up to 52 weeks in hemodialysis patients with secondary hyperparathyroidism: results of a post-marketing surveillance in Japan. *Clin Exp Nephrol.* 2021 Jan;25(1):66-79.
13. Wakamatsu T, Iwasaki Y, Yamamoto S, Matsuo K, Goto S, Narita I, Kazama JJ, Tanaka K, Ito A, Ozasa R, Nakano T, Miyakoshi C, Onishi Y, Fukuma S, Fukuhara S, Yamato H, Fukagawa M, Akizawa T. Type I Angiotensin II Receptor Blockade Reduces Uremia-Induced Deterioration of Bone Material Properties. *J Bone Miner Res.* 2020 Aug 12.
14. Karaboyas A, Morgenstern H, Fleischer NL, Vanholder RC, Dhalwani NN, Schaeffner E, Schaubel DE, Akizawa T, James G, Sinsakul MV, Pisoni RL, Robinson BM. Inflammation and Erythropoiesis-Stimulating Agent Response in Hemodialysis Patients: A Self-matched Longitudinal Study of Anemia Management in the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Kidney Med.* 2020 Mar 26;2(3):286-296.
15. Iseri K, Carrero JJ, Evans M, Felländer-Tsai L, Berg HE, Runesson B, Stenvinkel P, Lindholm B, Qureshi AR. Fractures after kidney transplantation: Incidence, predictors, and association with mortality. *Bone.* 2020 Nov;140:115554.
16. Akizawa T, Nangaku M, Yonekawa T, Okuda N, Kawamatsu S, Onoue T, Endo Y, Hara K, Cobitz AR. Efficacy and Safety of Daprodustat Compared with Darbepoetin Alfa in Japanese Hemodialysis Patients with Anemia: A Randomized, Double-Blind, Phase 3 Trial. *Clin J Am Soc Nephrol.* 2020 Aug 7;15(8):1155-1165.
17. Iseri K, Carrero JJ, Evans M, Felländer-Tsai L, Berg HE, Runesson B, Stenvinkel P, Lindholm B, Qureshi AR. Incidence of Fractures Before and After Dialysis Initiation. *J Bone Miner Res.* 2020 Dec;35(12):2372-2380.
18. Tschiderer L, Seekircher L, Klingenschmid G, Izzo R, Baldassarre D, Iglseider B, Calabresi L, Liu J, Price JF, Bae JH, Brouwers FP, de Groot E, Schmidt C, Bergström G, Aşçi G, Gresele P, Okazaki S, Kapellas K, Landecho MF, Sattar N, Agewall S, Zou ZY, Byrne CD, Nanayakkara PWB, Papagianni A, Witham MD, Bernal E, Ekart R, van Agtmael MA, Neves MF, Sato E, Ezhov M, Walters M, Olsen MH, Stolić R, Zozulińska-Ziółkiewicz DA, Hanefeld M, Staub D, Nagai M, Nieuwkerk PT, Huisman MV, Kato A, Honda H, Parraga G, Magliano D, Gabriel R, Rundek T, Espeland MA, Kiechl S, Willeit J, Lind L, Empana JP, Lonn E, Tuomainen TP, Catapano A, Chien KL, Sander D, Kavousi M, Beulens JWJ, Bots ML, Sweeting MJ, Lorenz

- MW, Willeit P; Proof-ATHERO Study Group. The Prospective Studies of Atherosclerosis (Proof-ATHERO) Consortium: Design and Rationale. *Gerontology*. 2020;66(5):447-459.
19. Akizawa T, Yamaguchi Y, Otsuka T, Reusch M. A Phase 3, Multicenter, Randomized, Two-Arm, Open-Label Study of Intermittent Oral Dosing of Roxadustat for the Treatment of Anemia in Japanese Erythropoiesis-Stimulating Agent-Naïve Chronic Kidney Disease Patients Not on Dialysis. *Nephron*. 2020;144(8):372-382.
  20. Nangaku M, Kanda H, Takama H, Ichikawa T, Hase H, Akizawa T. Randomized Clinical Trial on the Effect of Bardoxolone Methyl on GFR in Diabetic Kidney Disease Patients (TSUBAKI Study). *Kidney Int Rep*. 2020 Apr 14;5(6):879-890.
  21. Shigematsu T, Asada S, Endo Y, Kawata T, Fukagawa M, Akizawa T. Efficacy and Safety of Evocalcet Evaluated by Dialysate Calcium Concentration in Patients with Secondary Hyperparathyroidism Undergoing Hemodialysis. *Int J Nephrol Renovasc Dis*. 2020 May 12;13:97-106.
  22. Sugiyama M, Wada Y, Kanazawa N, Tachibana S, Suzuki T, Matsumoto K, Iyoda M, Honda H, Shibata T. A cross-sectional analysis of clinicopathologic similarities and differences between Henoch-Schönlein purpura nephritis and IgA nephropathy. *PLoS One*. 2020 Apr 23;15(4):e0232194.
  23. Hayashi T, Maruyama S, Nangaku M, Narita I, Hirakata H, Tanabe K, Morita S, Tsubakihara Y, Imai E, Akizawa T; PREDICT Investigators. Darbepoetin Alfa in Patients with Advanced CKD without Diabetes: Randomized, Controlled Trial. *Clin J Am Soc Nephrol*. 2020 May 7;15(5):608-615.
  24. Asada S, Yokoyama K, Miyakoshi C, Fukuma S, Endo Y, Wada M, Nomura T, Onishi Y, Fukagawa M, Fukuhara S, Akizawa T. Relationship between serum calcium or phosphate levels and mortality stratified by parathyroid hormone level: an analysis from the MBD-5D study. *Clin Exp Nephrol*. 2020 Jul;24(7):630-637.
  25. Kanazawa N, Iyoda M, Tachibana S, Matsumoto K, Wada Y, Suzuki T, Iseri K, Shibata T. Therapeutic Potential of Thrombomodulin in Renal Fibrosis of Nephrotoxic Serum Nephritis in Wistar-Kyoto Rats. *Kidney Blood Press Res*. 2020;45(3):391-406.
  26. Kanazawa N, Wada Y, Akiyama M, Shikida Y, Sugiyama M, Abe M, Iyoda M, Honda K, Shibata T. Crescentic IgA nephropathy after administration of human monoclonal interleukin-12/23p40 antibody in a patient with Crohn's disease: a case report. *CEN Case Rep*. 2020 Aug;9(3):204-209.
  27. Mizobuchi M, Ogata H, Koiwa F, Honda H. Early response of the parathyroid gland to withdrawal of a calcimimetic compound in uremic rats. *Am J Physiol Renal Physiol*. 2020 Mar 1;318(3):F639-F646.
  28. Iseri K, Carrero JJ, Evans M, Felländer-Tsai L, Berg H, Runesson B, Stenvinkel P, Lindholm B,

- Qureshi AR. Major fractures after initiation of dialysis: Incidence, predictors and association with mortality. *Bone*. 2020 Apr;133:115242.
29. Kamitani T, Fukuma S, Shimizu S, Akizawa T, Fukuhara S. Length of hospital stay is associated with a decline in activities of daily living in hemodialysis patients: a prospective cohort study. *BMC Nephrol*. 2020 Jan 8;21(1):9.
  30. Wang AY, Akizawa T, Bavanandan S, Hamano T, Liew A, Lu KC, Lumlertgul D, Oh KH, Zhao MH, Ka-Shun Fung S, Obi Y, Sumida K, Choong LHL, Goh BL, Hao CM, Kwon YJ, Tarng DC, Zuo L, Wheeler DC, Tsukamoto Y, Fukagawa M. 2017 Kidney Disease: Improving Global Outcomes (KDIGO) Chronic Kidney Disease-Mineral and Bone Disorder (CKD-MBD) Guideline Update Implementation: Asia Summit Conference Report. *Kidney Int Rep*. 2019 Sep 23;4(11):1523-1537.
  31. Saito T, Mima Y, Sugiyama M, Miyazawa N, Iida A, Kanazawa N, Suzuki T, Shikida Y, Hamada T, Wada Y, Mizobuchi M, Honda H. Multidisciplinary management of calciphylaxis: a series of 5 patients at a single facility. *CEN Case Rep*. 2020 May;9(2):122-128.
  32. Shigematsu T, Fukagawa M, Yokoyama K, Akiba T, Fujii A, Shinoda A, Akizawa T. Influence of dialysate Ca concentrations on the therapeutic effects of etelcalcetide with concomitant drugs in patients with secondary hyperparathyroidism. *Nephrology (Carlton)*. 2020 Aug;25(8):634-643.
  33. Tachibana S, Iyoda M, Suzuki T, Kanazawa N, Iseri K, Wada Y, Matsumoto K, Shibata T. Serum uromodulin is associated with the severity of clinicopathological findings in ANCA-associated glomerulonephritis. *PLoS One*. 2019 Nov 14;14(11):e0224690.
  34. Kawata N, Kang D, Aiuchi T, Obama T, Yoshitake O, Shibata T, Takimoto M, Itabe H, Honda K. Proteomics of human glomerulonephritis by laser microdissection and liquid chromatography-tandem mass spectrometry. *Nephrology (Carlton)*. 2020 Apr;25(4):351-359.
  35. Iseri K, Qureshi AR, Dai L, Ripsveden J, Heimbürger O, Barany P, Bergström I, Stenvinkel P, Brismar TB, Lindholm B. Bone mineral density at different sites and 5 years mortality in end-stage renal disease patients: A cohort study. *Bone*. 2020 Jan;130:115075.
  36. 溝渕正英. Vascular health に対する VDRA 作用の可能性(原著論文). *日本透析医会雑誌* (0914-7136)35 卷 2 号 Page434-437(2020.08)

## ■書籍・総説

1. Iseri K, Dai L, Chen Z, Qureshi AR, Brismar TB, Stenvinkel P, Lindholm B. Bone mineral density and mortality in end-stage renal disease patients. *Clin Kidney J*. 2020 Jun 26;13(3):307-321.
2. COVID-19 Task Force Committee of the Japanese Association of Dialysis Physicians; Japanese Society for Dialysis Therapy; Japanese Society of Nephrology, Kikuchi K, Nangaku M, Ryuzaki

M, Yamakawa T, Hanafusa N, Sakai K, Kanno Y, Ando R, Shinoda T, Nakamoto H, Akizawa T. COVID-19 of dialysis patients in Japan: Current status and guidance on preventive measures. Ther Apher Dial. 2020 Aug;24(4):361-365.

3. 金澤 伸洋, 本田 一穂. 【腎疾患コンサルテーション】画像診断関連 腎生検が有用な疾患と禁忌(解説/特集). 腎と透析 (0385-2156)89 巻 4 号 Page502-505(2020.10)
4. 溝渕 正英. 【腎疾患コンサルテーション】生化学異常、電解質異常 Ca 濃度異常の鑑別診断と対応(解説/特集). 腎と透析 (0385-2156)89 巻 4 号 Page466-469(2020.10)
5. 鈴木 泰平, 本田 一穂. 【腎臓の構成細胞から再考する:基礎と臨床】足細胞(ポウマン嚢臓側上皮細胞) 足細胞の解剖学的特徴と機能分子(解説/特集). 腎と透析 (0385-2156)89 巻 3 号 Page351-359(2020.09)
6. 本田 浩一, 森川 友喜. 【腎性貧血 revisit】エリスロフェン(解説/特集). 腎と透析 (0385-2156)89 巻 2 号 Page251-255(2020.08)
7. 秋澤 忠男, 横地 章生. 【腎性貧血 revisit】新しい腎性貧血治療薬 HIF-PHI Enarodustat(解説/特集). 腎と透析 (0385-2156)89 巻 2 号 Page217-222(2020.08)
8. 本田 浩一. 【透析療法の課題と展望 2020】水溶性ビタミンの補充(解説/特集). 腎と透析 (0385-2156)88 巻 5 号 Page683-687(2020.05)
9. 本田 浩一. 話題・論点 新型コロナウイルス(解説). 臨床透析 (0910-5808)36 巻 4 号 Page399-400(2020.04)
10. 本田 浩一. 【世間の荒波にもまれる CKD-MBD 治療】CKD-MBD の治療 PTH 低下薬 calcimimetics を中心に(解説/特集). 臨床透析 (0910-5808)36 巻 4 号 Page347-355(2020.04)
11. 本田 浩一. 血液透析患者における腎性貧血治療と鉄代謝、FGF23 との関係(解説)
12. 本田 浩一, 田中 賢治, 平尾 圭市, 柴垣 圭吾, 油座 利貴, 道端 哲郎, 友杉 直久, Ganz Tomas, 東元 祐一郎. 日本透析医会雑誌 (0914-7136)35 巻 1 号 Page210-213(2020.04)
13. 溝渕 正英, 齋藤 友広. 【CKD-MBD up to date】治療薬の進歩 カルシウム感知受容体作動薬(解説/特集). 腎と透析 (0385-2156)88 巻 1 号 Page68-71(2020.01)
14. 柴田 孝則. 免疫病理学的視点と糸球体疾患(解説). 昭和学士会雑誌 (2187-719X)79 巻 4 号 Page437-440(2019.08)

【2019年】

■原著

1. Wada Y, Gonzalez-Sanchez HM, Weinmann-Menke J, Iwata Y, Ajay AK, Meineck M, Kelley VR. IL-34-Dependent Intrarenal and Systemic Mechanisms Promote Lupus Nephritis in MRL-Faslpr Mice. *J Am Soc Nephrol*. 2019 Feb;30(2):244-259.
2. Hara T, Kimachi M, Ikenoue T, Akizawa T, Fukuhara S, Yamamoto Y. Intra-Dialytic Hemoglobin Changes and Cardiovascular Events: A Cohort Study on Dialysis Outcomes and Practice Patterns in Japan. *Am J Nephrol*. 2019;50(4):272-280.
3. Dai L, Watanabe M, Qureshi AR, Mukai H, Machowska A, Heimbürger O, Barany P, Lindholm B, Stenvinkel P. Serum 8-hydroxydeoxyguanosine, a marker of oxidative DNA damage, is associated with mortality independent of inflammation in chronic kidney disease. *Eur J Intern Med*. 2019 Oct;68:60-65.
4. Akizawa T, Macdougall IC, Berns JS, Yamamoto H, Taguchi M, Iekushi K, Bernhardt T. Iron Regulation by Molidustat, a Daily Oral Hypoxia-Inducible Factor Prolyl Hydroxylase Inhibitor, in Patients with Chronic Kidney Disease. *Nephron*. 2019;143(4):243-254.
5. Fukuma S, Fukuhara S, Shimizu S, Akizawa T, Fukagawa M. Population-level associations of achievement of targets for bone-mineral markers with survival in haemodialysis patients with mildly elevated intact-PTH levels: a case-cohort study. *Sci Rep*. 2019 Aug 5;9(1):11301.
6. Runesson B, Trevisan M, Iseri K, Qureshi AR, Lindholm B, Barany P, Elinder CG, Carrero JJ. Fractures and their sequelae in non-dialysis-dependent chronic kidney disease: the Stockholm CREATinine Measurement project. *Nephrol Dial Transplant*. 2020 Nov 1;35(11):1908-1915.
7. Iseri K, Watanabe M, Lee XP, Yamada M, Ryu K, Iyoda M, Uchida N, Sato K, Shibata T. Elimination of intravenous alendronate by hemodialysis: A kinetic study. *Hemodial Int*. 2019 Oct;23(4):466-471.
8. Tsuruya K, Shimazaki R, Fukagawa M, Akizawa T; Evocalcet Study Group. Correction to: Efficacy and safety of evocalcet in Japanese peritoneal dialysis patients. *Clin Exp Nephrol*. 2019 Sep;23(9):1173.
9. Yamamoto H, Taguchi M, Matsuda Y, Iekushi K, Yamada T, Akizawa T. Molidustat for the treatment of renal anaemia in patients with non-dialysis-dependent chronic kidney disease: design and rationale of two phase III studies. *BMJ Open*. 2019 Jun 14;9(6):e026704.
10. Akizawa T, Taguchi M, Matsuda Y, Iekushi K, Yamada T, Yamamoto H. Molidustat for the treatment of renal anaemia in patients with dialysis-dependent chronic kidney disease: design and rationale of three phase III studies. *BMJ Open*. 2019 Jun 14;9(6):e026602.
11. Akizawa T, Nangaku M, Yamaguchi T, Arai M, Koretomo R, Maeda K, Miyazawa Y, Hirakata H.

- Enarodustat, Conversion and Maintenance Therapy for Anemia in Hemodialysis Patients: A Randomized, Placebo-Controlled Phase 2b Trial Followed by Long-Term Trial. *Nephron*. 2019;143(2):77-85.
12. Ohnishi T, Kimachi M, Fukuma S, Akizawa T, Fukuhara S. Postdialysis Hypokalemia and All-Cause Mortality in Patients Undergoing Maintenance Hemodialysis. *Clin J Am Soc Nephrol*. 2019 Jun 7;14(6):873-881.
  13. Iida A, Wada Y, Hayashi J, Tachibana S, Inaba T, Iyoda M, Honda K, Shibata T. Membranous nephropathy caused by rheumatoid arthritis. *CEN Case Rep*. 2019 Nov;8(4):233-238.
  14. Yokoyama K, Shimazaki R, Fukagawa M, Akizawa T; Evocalcet Study Group. Long-Term Efficacy and Safety of Evocalcet in Japanese Patients with Secondary Hyperparathyroidism Receiving Hemodialysis. *Sci Rep*. 2019 Apr 23;9(1):6410. doi: 10.1038/s41598-019-42017-z. PMID: 31015494; PMCID: PMC6478860.
  15. Koiwa F, Yokoyama K, Fukagawa M, Akizawa T. Evaluation of changes in ferritin levels during sucroferric oxyhydroxide treatment. *Clin Kidney J*. 2018 Sep 19;12(2):294-299.
  16. Iimuro S, Kaneko T, Ohashi Y, Watanabe T, Nitta K, Akizawa T, Matsuo S, Imai E, Makino H, Hishida A; CKD-JAC Investigators. Analysis of 2897 hospitalization events for patients with chronic kidney disease: results from CKD-JAC study. *Clin Exp Nephrol*. 2019 Jul;23(7):956-968.
  17. Tsuruya K, Shimazaki R, Fukagawa M, Akizawa T; Evocalcet Study Group. Efficacy and safety of evocalcet in Japanese peritoneal dialysis patients. *Clin Exp Nephrol*. 2019 Jun;23(6):739-748. doi: 10.1007/s10157-019-01692-y. Epub 2019 Apr 6. Erratum in: *Clin Exp Nephrol*. 2019 Jul 5;:
  18. Akizawa T, Macdougall IC, Berns JS, Bernhardt T, Staedtler G, Taguchi M, Iekushi K, Krueger T. Long-Term Efficacy and Safety of Molidustat for Anemia in Chronic Kidney Disease: DIALOGUE Extension Studies. *Am J Nephrol*. 2019;49(4):271-280.
  19. Akizawa T, Nangaku M, Yamaguchi T, Arai M, Koretomo R, Matsui A, Hirakata H. A Placebo-Controlled, Randomized Trial of Enarodustat in Patients with Chronic Kidney Disease Followed by Long-Term Trial. *Am J Nephrol*. 2019;49(2):165-174.
  20. Iseri K, Watanabe M, Yoshikawa H, Mitsui H, Endo T, Yamamoto Y, Iyoda M, Ryu K, Inaba T, Shibata T. Effects of Denosumab and Alendronate on Bone Health and Vascular Function in Hemodialysis Patients: A Randomized, Controlled Trial. *J Bone Miner Res*. 2019 Jun;34(6):1014-1024.
  21. Akizawa T, Shimazaki R, Shiramoto M, Fukagawa M; Evocalcet Study Group. Response to Comments on "Pharmacokinetics, Pharmacodynamics, and Safety of the Novel Calcimimetic Agent Evocalcet in Healthy Japanese Subjects: First-in-Human Phase I Study". *Clin Drug Investig*. 2019 Jan;39(1):109-111.
  22. Mima Y, Wada Y, Shikida Y, Hamada T, Kanazawa N, Iida A, Sugiyama M, Shibata T. Rapid

regression of calciphylaxis in a hemodialysis patient after intensive management of disturbance of calcium and phosphate metabolism: a case report with literature review. *Renal Replacement Therapy* 2019;5:19

23. 松本 啓, 金澤 伸洋, 鈴木 泰平, 森川 友喜, 稲葉 大朗, 伊與田 雅之, 山宮 知, 坂木 理, 吉田 仁, 柴田 孝則. 胆嚢仮性動脈瘤破裂による胆道出血を呈した維持血液透析患者の1例. *日本透析医学会雑誌* (1340-3451)52 巻 3 号 Page185-190(2019.03)
24. 稲葉 大朗, 井芹 健, 森川 友喜, 林 純一, 柴田 孝則. 血液透析導入期の transferrin saturation と虚血性心疾患発症との関連(原著論文). *昭和学士会雑誌* (2187-719X)79 巻 6 号 Page716-724(2019.12).
25. 林 純一, 井芹 健, 稲葉 大朗, 森川 友喜, 柴田 孝則. 感染症を呈した慢性腎臓病患者における生命予後予測のスコアリングモデルの作成と検証(原著論文). *昭和学士会雑誌* (2187-719X)79 巻 5 号 Page642-653(2019.10)
26. 森川 友喜, 井芹 健, 稲葉 大朗, 林 純一, 柴田 孝則. 血液透析導入期のエリスロポエチン抵抗性指数と導入後の生命予後との関連(原著論文). *昭和学士会雑誌* (2187-719X)79 巻 5 号 Page627-635(2019.10)
27. 溝渕 正英. 腎不全の血管中膜石灰化における内膜機能の役割(原著論文). *日本透析医学会雑誌* (0914-7136)34 巻 3 号 Page487-490(2019.12)

## ■書籍・総説

1. Akizawa T, Ikejiri K, Kondo Y, Endo Y, Fukagawa M. Evocalcet: A New Oral Calcimimetic for Dialysis Patients With Secondary Hyperparathyroidism. *Ther Apher Dial.* 2019 Sep 5;24(3):248-57.
2. 溝渕 正英, 緒方 浩顕, 小岩 文彦. Dialysis therapy、2018 year in review CKD-MBD(解説). *日本透析医学会雑誌* (1340-3451)52 巻 12 号 Page776-777(2019.12)
3. 金澤 伸洋, 本田 一穂. 【腎生検から病因と病態を読む】電子顕微鏡と蛍光抗体法から病因と病態を考える(解説/特集). *腎と透析* (0385-2156)87 巻 4 号 Page559-566(2019.10)
4. 本田 浩一. 【全身性疾患と腎 update】(第 8 章)電解質異常 高カルシウム血症・腎臓専門医の視点より(解説/特集). *腎と透析* (0385-2156)86 巻増刊 Page471-473(2019.06)
5. 本田 浩一, 田中 賢治, 平尾 圭市, 柴垣 圭吾, 油座 利貴, 道端 哲郎, 友杉 直久, 本宮 善恢, 柴田 孝則. 血液透析患者における腎性貧血治療と鉄代謝・FGF23 との関係(解説). *日本透析医学会雑誌* (0914-7136)34 巻 1 号 Page128-130(2019.04)
6. 本田浩一. 【高リン血症の新たなアプローチ-特性から考えるスクロオキシ水酸化鉄の可能性】スクロオキシ水酸化鉄の位置づけ(解説/特集). *腎・高血圧の最新治療* (2187-0004)8 巻 1 号 Page32-37(2019.01)



【2018 年】

■原著

1. Nishiwaki H, Fukuma S, Hasegawa T, Kimachi M, Akizawa T, Fukuhara S. Dialysis-related practice patterns among hemodialysis patients with cancer. *Health Sci Rep.* 2018 May 16;1(7):e46.
2. Macdougall IC, Akizawa T, Berns JS, Bernhardt T, Krueger T. Effects of Molidustat in the Treatment of Anemia in CKD. *Clin J Am Soc Nephrol.* 2019 Jan 7;14(1):28-39.
3. Kurita N, Akizawa T, Fukuhara S. Vitality Measured as Self-reported Energy Level and Clinical Outcomes in Hemodialysis Patients: The Japanese Dialysis Outcomes and Practice Pattern Study (J-DOPPS). *Am J Kidney Dis.* 2019 Apr;73(4):486-495.
4. Shigematsu T, Fukagawa M, Yokoyama K, Akiba T, Fujii A, Odani M, Akizawa T. Effects of the Intravenous Calcimimetic Etelcalcetide on Bone Turnover and Serum Fibroblast Growth Factor 23: Post Hoc Analysis of an Open-label Study. *Clin Ther.* 2018 Dec;40(12):2099-2111.
5. Wada Y, Matsumoto K, Suzuki T, Saito T, Kanazawa N, Tachibana S, Iseri K, Sugiyama M, Iyoda M, Shibata T. Clinical significance of serum and mesangial galactose-deficient IgA1 in patients with IgA nephropathy. *PLoS One.* 2018 Nov 2;13(11):e0206865.
6. Akizawa T, Shimazaki R, Fukagawa M; Evocalcet Study Group. Phase 2b study of evocalcet (KHK7580), a novel calcimimetic, in Japanese patients with secondary hyperparathyroidism undergoing hemodialysis: A randomized, double-blind, placebo-controlled, dose-finding study. *PLoS One.* 2018 Oct 31;13(10):e0204896.
7. Takahashi G, Honda H, Takahashi K, Ikeda M, Hosaka N, Ogata H, Koiwa F, Shishido K, Shibata T. Truncal Adiposity Influences High-Density Lipoprotein Cholesterol Levels and Cardiovascular Events in Hemodialysis Patients. *J Ren Nutr.* 2019 May;29(3):235-242.
8. Baek JH, Gomez IG, Wada Y, Roach A, Mahad D, Duffield JS. Deletion of the Mitochondrial Complex-IV Cofactor Heme A:Farnesyltransferase Causes Focal Segmental Glomerulosclerosis and Interferon Response. *Am J Pathol.* 2018 Dec;188(12):2745-2762.
9. Shigematsu T, Shimazaki R, Fukagawa M, Akizawa T. Pharmacokinetics of evocalcet in secondary hyperparathyroidism patients receiving hemodialysis: first-in-patient clinical trial in Japan. *Clin Pharmacol.* 2018 Sep 11;10:101-111.
10. Narushima K, Maeda H, Shiramoto M, Endo Y, Ohtsuka S, Nakamura H, Nagata Y, Uchimura T, Kannami A, Shimazaki R, Fukagawa M, Akizawa T. Assessment of CYP- Mediated Drug Interactions for Evocalcet, a New Calcimimetic Agent, Based on In Vitro Investigations and a Cocktail Study in Humans. *Clin Transl Sci.* 2019 Jan;12(1):20-27.
11. Akizawa T, Shimazaki R, Shiramoto M, Fukagawa M; Evocalcet Study Group.

- Pharmacokinetics, Pharmacodynamics, and Safety of the Novel Calcimimetic Agent Evocalcet in Healthy Japanese Subjects: First-in-Human Phase I Study. *Clin Drug Investig.* 2018 Oct;38(10):945-954.
12. Shigematsu T, Shimazaki R, Fukagawa M, Akizawa T; Evocalcet Study Group. Pharmacodynamics of evocalcet for secondary hyperparathyroidism in Japanese hemodialysis patients. *Clin Exp Nephrol.* 2019 Feb;23(2):258-267.
  13. Shimizu S, Fukuma S, Ikenoue T, Akizawa T, Fukuhara S. Increased Mortality Rate after Hospitalization Among Chronic Hemodialysis Patients: A Prospective Cohort Study. *Nephron.* 2018;140(3):194-202. doi: 10.1159/000492083. Epub 2018 Aug 28. PMID: 30153677.
  14. Fukuma S, Kimachi M, Omae K, Kataoka Y, Yamazaki H, Muto M, Akizawa T, Yanagita M, Fukuhara S. Dialysis physicians' referral behaviors for hemodialysis patients suspected of having cancer: A vignette-based questionnaire study. *PLoS One.* 2018 Aug 15;13(8):e0202322.
  15. Nitta K, Iimuro S, Imai E, Matsuo S, Makino H, Akizawa T, Watanabe T, Ohashi Y, Hishida A. Correction to: Risk factors for increased left ventricular hypertrophy in patients with chronic kidney disease: findings from the CKD-JAC study. *Clin Exp Nephrol.* 2019 Jan;23(1):99.
  16. Hasegawa T, Sakamaki K, Koiwa F, Akizawa T, Hishida A; CKD-JAC Study Investigators. Clinical prediction models for progression of chronic kidney disease to end-stage kidney failure under pre-dialysis nephrology care: results from the Chronic Kidney Disease Japan Cohort Study. *Clin Exp Nephrol.* 2019 Feb;23(2):189-198.
  17. Akizawa T, Kuno Y, Kato N. [Fragility Fractures in Hemodialysis Patients. Uremic bone disease:the effect of medical treatment until now.]. *Clin Calcium.* 2018;28(8):1045-1050. Japanese.
  18. Fukagawa M, Shimazaki R, Akizawa T; Evocalcet study group. Head-to-head comparison of the new calcimimetic agent evocalcet with cinacalcet in Japanese hemodialysis patients with secondary hyperparathyroidism. *Kidney Int.* 2018 Oct;94(4):818-825.
  19. Tachibana S, Iyoda M, Matsumoto K, Wada Y, Suzuki T, Iseri K, Kanazawa N, Shibata T. Recombinant human soluble thrombomodulin attenuates anti-glomerular basement membrane glomerulonephritis in Wistar-Kyoto rats through anti-inflammatory effects. *Nephrol Dial Transplant.* 2019 May 1;34(5):774-782.
  20. Nitta K, Iimuro S, Imai E, Matsuo S, Makino H, Akizawa T, Watanabe T, Ohashi Y, Hishida A. Risk factors for increased left ventricular hypertrophy in patients with chronic kidney disease: findings from the CKD-JAC study. *Clin Exp Nephrol.* 2019 Jan;23(1):85-98.
  21. Hoshino J, Larkina M, Karaboyas A, Bieber B, Ubara Y, Takaichi K, Akizawa T, Akiba T, Fukuhara S, Pisoni RL, Saito A, Robinson BM. The Authors Reply. *Kidney Int.* 2018 Jul;94(1):221-222.
  22. Shikida Y, Mizobuchi M, Inoue T, Hamada T, Ogata H, Koiwa F, Shibata T. Effect of

- Continuous Intravenous Calcium Loading on Fibroblast Growth Factor 23 in Normal and Uremic Rats. *Calcif Tissue Int.* 2018 Oct;103(4):455-464.
23. Kawata T, Tokunaga S, Murai M, Masuda N, Haruyama W, Shoukei Y, Hisada Y, Yanagida T, Miyazaki H, Wada M, Akizawa T, Fukagawa M. A novel calcimimetic agent, evocalcet (MT-4580/KHK7580), suppresses the parathyroid cell function with little effect on the gastrointestinal tract or CYP isozymes in vivo and in vitro. *PLoS One.* 2018 Apr 3;13(4):e0195316.
  24. Iseri K, Iyoda M, Watanabe M, Matsumoto K, Sanada D, Inoue T, Tachibana S, Shibata T. The effects of denosumab and alendronate on glucocorticoid-induced osteoporosis in patients with glomerular disease: A randomized, controlled trial. *PLoS One.* 2018 Mar 15;13(3):e0193846.
  25. Honda H, Ono K, Akizawa T, Nitta K, Hishida A. Correction to: Association of adiposity with hemoglobin levels in patients with chronic kidney disease not on dialysis. *Clin Exp Nephrol.* 2018 Dec;22(6):1476.
  26. Sumida K, Yamamoto S, Akizawa T, Fukuhara S, Fukuma S. Body Mass Index Change and Hospitalization Risk in Elderly Hemodialysis Patients: Results from Japanese Dialysis Outcomes and Practice Patterns Study. *Am J Nephrol.* 2018;47(1):48-56.
  27. 福田 桂[日原], 伊與田 雅之, 齋藤 友広, 荒井 典子[布田], 和田 幸寛, 鈴木 幸恵, 木崎 順一郎, 恩田 秀寿, 高橋 春男, 柴田 孝則. ステロイド抵抗性の抗アクアポリン4抗体陽性視神経炎に対し二重膜濾過血漿交換療法が奏功した 1 例. *日本透析医学会雑誌 (1340-3451)*51 巻 6 号 Page379-385(2018.06)
  28. 本田 浩一, 小林 靖奈, 保坂 望, 上竹 大二郎, 有賀 誠記, 柴田 孝則. 血液透析患者における Klotho 遺伝子のメチル化変性と心血管病、栄養障害との関係(原著論文). *日本透析医学会雑誌 (0914-7136)*33 巻 2 号 Page325-327(2018.08)

## ■書籍・総説

1. Mizobuchi M, Ogata H, Koiwa F. Secondary Hyperparathyroidism: Pathogenesis and Latest Treatment. *Ther Apher Dial.* 2019 Aug;23(4):309-318.
2. Okonogi H, Kawamura T, Joh K, Koike K, Miyazaki Y, Ogura M, Tsuboi N, Hirano K, Matsushima M, Yokoo T, Horikoshi S, Suzuki Y, Yasuda T, Shirai S, Shibata T, Hattori M, Akioka Y, Katafuchi R, Hashiguchi A, Hisano S, Shimizu A, Kimura K, Maruyama S, Matsuo S, Tomino Y; Special IgA Nephropathy Study Group. A grading system that predicts the risk of dialysis induction in IgA nephropathy patients based on the combination of the clinical and histological severity. *Clin Exp Nephrol.* 2019 Jan;23(1):16-25.
3. Akizawa T, Okumura H, Alexandre AF, Fukushima A, Kiyabu G, Dorey J. Burden of Anemia in Chronic Kidney Disease Patients in Japan: A Literature Review. *Ther Apher Dial.* 2018

Oct;22(5):444-456.

4. Hasegawa T, Koiwa F, Akizawa T. Anemia in conventional hemodialysis: Finding the optimal treatment balance. *Semin Dial.* 2018 Nov;31(6):599-606.
5. 溝渕 正英, 緒方 浩顕, 小岩 文彦. 【CKD-MBD】CKD-MBD 治療 ビタミン D 製剤とカルシウム感知受容体作動薬(解説/特集). *日本透析医学会雑誌 (1340-3451)*51 巻 11 号 Page681-686(2018.11).
6. 本田 浩一. 【検査値の見方を知ってケアに活かす!透析患者の重要検査&検査値 50】(第 1 章)血液検査 ビタミン B12/葉酸(解説/特集). *透析ケア (1341-1489)*2018 冬季増刊 Page107-110(2018.12)
7. 溝渕 正英, 加藤 憲. 【水電解質代謝の五角関係】カルシウム/リン代謝の五角関係 トピックス VDRA と vascular health(解説/特集). *腎と透析 (0385-2156)*85 巻 3 号 Page457-460(2018.09)
8. 本田 浩一, 保坂 望. 【骨粗鬆症の Up to date】慢性腎臓病に伴う骨ミネラル代謝異常(CKD-MBD)と骨粗鬆症(解説/特集). *成人病と生活習慣病 (1347-0418)*48 巻 9 号 Page1035-1038(2018.09)
9. 秋澤 忠男, 久野 芳裕, 加藤 徳介. 【透析患者の骨・カルシウム代謝】CKD-MBD 治療の変遷と骨病変(総説/特集). *Clinical Calcium (0917-5857)*28 巻 8 号 Page1045-1050(2018.07)
10. 本田 浩一. 【透析医療と合併症 キュア&ケアガイドブック】貧血治療(CQ 38) ESA 低反応性を示す透析患者への対応・対策はどのように行いますか?(解説/特集). *臨床透析 (0910-5808)*34 巻 7 号 Page838-841(2018.06)
11. 本田 浩一, 平野 勉. 【腎と透析ベッドサイド検査事典】(第 8 章)脂質代謝関連物質  $\beta$ -リポ蛋白、リポ蛋白分画、レムナント様リポ蛋白コレステロール(RLP コレステロール)(解説/特集). *腎と透析 (0385-2156)*84 巻増刊 Page244-246(2018.05)
12. 本田 浩一, 平野 勉. 【腎と透析ベッドサイド検査事典】(第 8 章)脂質代謝関連物質 中性脂肪、遊離脂肪酸(解説/特集). *腎と透析 (0385-2156)*84 巻増刊 Page242-243(2018.05)
13. 本田 浩一, 平野 勉. 【腎と透析ベッドサイド検査事典】(第 8 章)脂質代謝関連物質 総コレステロール、HDL コレステロール、LDL コレステロール、リン脂質(解説/特集). *腎と透析 (0385-2156)*84 巻増刊 Page240-241(2018.05)
14. 式田 康人, 溝渕 正英. 【腎と透析ベッドサイド検査事典】(第 6 章)CKD-MBD 関連検査 リン(解説/特集). *腎と透析 (0385-2156)*84 巻増刊 Page186-188(2018.05)
15. 式田 康人, 溝渕 正英. 【腎と透析ベッドサイド検査事典】(第 6 章)CKD-MBD 関連検査 カルシウム、イオン化カルシウム(解説/特集). *腎と透析 (0385-2156)*84 巻増刊 Page184-185(2018.05)
16. 本田 浩一. 【腎と透析ベッドサイド検査事典】(第 2 章)生化学検査(一般) 低・中分子生化学物質 ペントシジン(解説/特集). *腎と透析 (0385-2156)*84 巻増刊

Page62-63(2018.05)

17. 本田 浩一. 【生活習慣病に必要な水と塩分調節】 Ca、P、Mg の調節(解説/特集). 成人病と生活習慣病 (1347-0418)48 卷 3 号 Page270-273(2018.03)

【2017年】

■原著

1. Koiwa F, Yokoyama K, Fukagawa M, Akizawa T. Efficacy and Safety of Sucroferric Oxyhydroxide and Calcium Carbonate in Hemodialysis Patients. *Kidney Int Rep.* 2017 Oct 6;3(1):185-192. doi: 10.1016/j.ekir.2017.10.003. PMID: 29340330; PMCID: PMC5762971.
2. Kido R, Akizawa T, Fukagawa M, Onishi Y, Yamaguchi T, Fukuhara S. Interactive Effectiveness of Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers or Their Combination on Survival of Hemodialysis Patients. *Am J Nephrol.* 2017;46(6):439-447.
3. Yokoyama K, Fukagawa M, Shigematsu T, Akiba T, Fujii A, Yamauchi A, Odani M, Akizawa T; ONO-5163 Study Group. A Single- and Multiple-Dose, Multicenter Study of Etelcalcetide in Japanese Hemodialysis Patients With Secondary Hyperparathyroidism. *Kidney Int Rep.* 2017 Feb 20;2(4):634-644.
4. Yamada M, Lee XP, Fujishiro M, Iseri K, Watanabe M, Sakamaki H, Uchida N, Matsuyama T, Kumazawa T, Takahashi H, Ishii A, Sato K. Highly sensitive determination of alendronate in human plasma and dialysate using metal-free HPLC-MS/MS. *Leg Med (Tokyo).* 2018 Jan;30:14-20.
5. Honda H, Ono K, Akizawa T, Nitta K, Hishida A. Association of adiposity with hemoglobin levels in patients with chronic kidney disease not on dialysis. *Clin Exp Nephrol.* 2018 Jun;22(3):638-646.
6. Iseri K, Iyoda M, Shikida Y, Inokuchi T, Morikawa T, Hara N, Hirano T, Shibata T. Rituximab for the treatment of type B insulin resistance syndrome: a case report and review of the literature. *Diabet Med.* 2017 Dec;34(12):1788-1791.
7. Yamamoto Y, Iyoda M, Tachibana S, Matsumoto K, Wada Y, Suzuki T, Iseri K, Saito T, Fukuda-Hihara K, Shibata T. Erlotinib attenuates the progression of chronic kidney disease in rats with remnant kidney. *Nephrol Dial Transplant.* 2018 Apr 1;33(4):598-606.
8. Fukuma S, Shimizu S, Shintani A, Kamitani T, Akizawa T, Fukuhara S. Development and validation of a prediction model for loss of physical function in elderly hemodialysis patients. *Nephrol Dial Transplant.* 2018 Aug 1;33(8):1452-1458.
9. Ogata H, Kumasawa J, Fukuma S, Mizobuchi M, Kinugasa E, Fukagawa M, Fukuhara S, Akizawa T. Erratum to: The cardiothoracic ratio and all-cause and cardiovascular disease mortality in patients undergoing maintenance hemodialysis: results of the MBD-5D study. *Clin Exp Nephrol.* 2017 Oct;21(5):809.
10. Kato H, Nangaku M, Hirakata H, Wada T, Hayashi T, Sato H, Yamazaki Y, Masaki T, Kagimura T, Yamamoto H, Hase H, Kamouchi M, Imai E, Mizuno K, Iwasaki M, Akizawa T, Tsubakihara

- Y, Maruyama S, Narita I. Erratum to: Rationale and design of observational clinical Research In chronic kidney disease patients with renal anemia: renal prognosis in patients with Hyporesponsive anemia To Erythropoiesis-stimulating agents, darbepoetin alfa (BRIGHTEN Trial). *Clin Exp Nephrol*. 2018 Feb;22(1):85-86.
11. Shigematsu T, Fukagawa M, Yokoyama K, Akiba T, Fujii A, Odani M, Akizawa T; ONO-5163 Study Group. Long-term effects of etelcalcetide as intravenous calcimimetic therapy in hemodialysis patients with secondary hyperparathyroidism. *Clin Exp Nephrol*. 2018 Apr;22(2):426-436.
  12. Mizobuchi M, Ogata H, Onishi Y, Fukuma S, Akizawa T, Fukuhara S. RAS Inhibitor Is Not Associated With Cardiovascular Benefits in Patients Undergoing Hemodialysis in Japan. *Ther Apher Dial*. 2017 Aug;21(4):326-333.
  13. Fukuma S, Ikenoue T, Akizawa T, Fukuhara S. Impact of nutritional index on the association between phosphorus concentrations and mortality in haemodialysis patients: a cohort study from dialysis outcomes and practice pattern study in Japan. *BMJ Open*. 2017 Aug 7;7(8):e016682.
  14. Niihata K, Fukuma S, Akizawa T, Fukuhara S. Association of coping strategies with mortality and health-related quality of life in hemodialysis patients: The Japan Dialysis Outcomes and Practice Patterns Study. *PLoS One*. 2017 Jul 25;12(7):e0180498.
  15. Ogata H, Kumasawa J, Fukuma S, Mizobuchi M, Kinugasa E, Fukagawa M, Fukuhara S, Akizawa T. Erratum to: The cardiothoracic ratio and all-cause and cardiovascular disease mortality in patients undergoing maintenance hemodialysis: results of the MBD-5D study. *Clin Exp Nephrol*. 2017 Oct;21(5):807-808.
  16. Kato H, Nangaku M, Hirakata H, Wada T, Hayashi T, Sato H, Yamazaki Y, Masaki T, Kagimura T, Yamamoto H, Hase H, Kamouchi M, Imai E, Mizuno K, Iwasaki M, Akizawa T, Tsubakihara Y, Maruyama S, Narita I. Rationale and design of observational clinical Research In chronic kidney disease patients with renal anemia: renal prognosis in patients with Hyporesponsive anemia To Erythropoiesis-stimulating agents, darbepoetin alfa (BRIGHTEN Trial). *Clin Exp Nephrol*. 2018 Feb;22(1):78-84.
  17. Kurita N, Hayashino Y, Yamazaki S, Akizawa T, Akiba T, Saito A, Fukuhara S. Revisiting Interdialytic Weight Gain and Mortality Association With Serum Albumin Interactions: The Japanese Dialysis Outcomes and Practice Pattern Study. *J Ren Nutr*. 2017 Nov;27(6):421-429.
  18. Koiwa F, Yokoyama K, Fukagawa M, Akizawa T. Long-Term Assessment of the Safety and Efficacy of PA21 (Sucroferric Oxyhydroxide) in Japanese Hemodialysis Patients With Hyperphosphatemia: An Open-Label, Multicenter, Phase III Study. *J Ren Nutr*. 2017 Sep;27(5):346-354.
  19. Honda H, Hirano T, Ueda M, Kojima S, Mashiba S, Hayase Y, Michihata T, Shishido K, Takahashi K, Hosaka N, Ikeda M, Sanada D, Shibata T. Associations among apolipoproteins,

- oxidized high-density lipoprotein and cardiovascular events in patients on hemodialysis. *PLoS One*. 2017 May 18;12(5):e0177980.
20. Ogata H, Kumasawa J, Fukuma S, Mizobuchi M, Kinugasa E, Fukagawa M, Fukuhara S, Akizawa T. The cardiothoracic ratio and all-cause and cardiovascular disease mortality in patients undergoing maintenance hemodialysis: results of the MBD-5D study. *Clin Exp Nephrol*. 2017 Oct;21(5):797-806.
  21. Lipphardt M, Song JW, Matsumoto K, Dadafarin S, Dihazi H, Müller G, Goligorsky MS. The third path of tubulointerstitial fibrosis: aberrant endothelial secretome. *Kidney Int*. 2017 Sep;92(3):558-568.
  22. Hoshino J, Larkina M, Karaboyas A, Bieber BA, Ubara Y, Takaichi K, Akizawa T, Akiba T, Fukuhara S, Pisoni RL, Saito A, Robinson BM. Unique hemoglobin A1c level distribution and its relationship with mortality in diabetic hemodialysis patients. *Kidney Int*. 2017 Aug;92(2):497-503.
  23. Imanishi Y, Fukuma S, Karaboyas A, Robinson BM, Pisoni RL, Nomura T, Akiba T, Akizawa T, Kurokawa K, Saito A, Fukuhara S, Inaba M. Associations of employment status and educational levels with mortality and hospitalization in the dialysis outcomes and practice patterns study in Japan. *PLoS One*. 2017 Mar 6;12(3):e0170731.
  24. Akizawa T, Tsukada J, Kameoka C, Kuroishi K, Yamaguchi Y. Long-Term Safety and Efficacy of Bixalomer in Hyperphosphatemic Patients With Chronic Kidney Disease Not on Dialysis. *Ther Apher Dial*. 2017 Apr;21(2):173-179.
  25. Fukagawa M, Yokoyama K, Shigematsu T, Akiba T, Fujii A, Kuramoto T, Odani M, Akizawa T; ONO-5163 Study Group. A phase 3, multicentre, randomized, double-blind, placebo-controlled, parallel-group study to evaluate the efficacy and safety of etelcalcetide (ONO-5163/AMG 416), a novel intravenous calcimimetic, for secondary hyperparathyroidism in Japanese haemodialysis patients. *Nephrol Dial Transplant*. 2017 Oct 1;32(10):1723-1730.
  26. 山本 康隆, 和田 幸寛, 富田 瑛子, 林 純一, 齋藤 友広, 井芹 健, 井上 隆, 柴田 孝則. アスベスト関連疾患を合併し肺高血圧症を呈した腎不全患者の1例. *日本透析医学会雑誌* (1340-3451)50 卷 8 号 Page527-534(2017.08)
  27. 溝渕 正英. 透析導入期の心機能評価における心筋核医学検査の有用性(原著論文). *日本透析医学会雑誌* (0914-7136)31 卷 3 号 Page617-619(2016.12)

## ■書籍・総説

1. Mizobuchi M, Ogata H, Koiwa F, Kinugasa E, Akizawa T. Research on kidney and mineral metabolism in Japan: past, present, and future. *Clin Exp Nephrol*. 2017 Mar;21(Suppl 1):4-8.
2. 伊與田 雅之, 橘 翔平, 鈴木 泰平, 柴田 孝則. ウロモジュリンの腎疾患への関与と新



- 規治療薬としての可能性(解説). 細胞 (1346-7557)49 卷 10 号 Page515-519(2017.09)
3. 伊與田 雅之, 橘 翔平, 鈴木 泰平, 柴田 孝則. ウロモジュリンの腎疾患への関与と新規治療薬としての可能性(解説). BIO Clinica (0919-8237)32 卷 5 号 Page512-517(2017.05)
  4. 溝渕 正英, 式田 康人. 【CKD 患者におけるリン】CKD 患者におけるリン代謝 CKD 患者の骨代謝異常とリン(解説/特集). 腎と透析 (0385-2156)83 卷 1 号 Page65-68(2017.07)
  5. 本田 浩一.【慢性腎臓病 CKD の合併症対策】CKD の骨折と MBD とその対応(解説/特集). 成人病と生活習慣病 (1347-0418)47 卷 6 号 Page713-718(2017.06)
  6. 橘 翔平, 和田 幸寛, 伊與田 雅之, 濱田 透眞, 池田 美紗, 山口 裕, 柴田 孝則, 勝馬 愛, 清水 章. 腎生検所見から何を学ぶか(No.59) 原因診断に苦慮した膜性腎症の 1 例(症例検討会). 腎と透析 (0385-2156)82 卷 3 号 Page447-454(2017.03)

【2016年】

■原著

1. Hasegawa J, Bieber B, Larkina M, Robinson BM, Wakai S, Akizawa T, Saito A, Fukuhara S, Akiba T. Cardiovascular and Stroke Risk in Japanese Hemodialysis Patients With Atrial Fibrillation. *Ther Apher Dial.* 2016 Dec;20(6):608-614.
2. Akizawa T, Origasa H, Kameoka C, Tsukada J, Kuroishi K, Yamaguchi Y. Bivalomer in Hyperphosphatemic Patients With Chronic Kidney Disease Not on Dialysis: Phase 3 Randomized Trial. *Ther Apher Dial.* 2016 Dec;20(6):588-597.
3. Ikeda M, Honda H, Takahashi K, Shishido K, Shibata T. N-Terminal Pro-B-Type Natriuretic Peptide as a Biomarker for Loss of Muscle Mass in Prevalent Hemodialysis Patients. *PLoS One.* 2016 Nov 21;11(11):e0166804.
4. Tanaka M, Yoshida K, Fukuma S, Ito K, Matsushita K, Fukagawa M, Fukuhara S, Akizawa T. Effects of Secondary Hyperparathyroidism Treatment on Improvement in Anemia: Results from the MBD-5D Study. *PLoS One.* 2016 Oct 20;11(10):e0164865.
5. Shoji T, Niihata K, Fukuma S, Fukuhara S, Akizawa T, Inaba M. Both low and high serum ferritin levels predict mortality risk in hemodialysis patients without inflammation. *Clin Exp Nephrol.* 2017 Aug;21(4):685-693.
6. Koiwa F, Yokoyama K, Fukagawa M, Terao A, Akizawa T. Efficacy and safety of sucroferric oxyhydroxide compared with sevelamer hydrochloride in Japanese haemodialysis patients with hyperphosphataemia: A randomized, open-label, multicentre, 12-week phase III study. *Nephrology (Carlton).* 2017 Apr;22(4):293-300.
7. Ikenoue T, Fukuma S, Yamamoto Y, Yamazaki S, Akizawa T, Akiba T, Saito A, Kurokawa K, Fukuhara S. Influence of Staff Encouragement on Perceived Burden of Dietary Restriction Among Patients Living Alone. *Ther Apher Dial.* 2016 Dec;20(6):623-631.
8. Ogata H, Fukagawa M, Hirakata H, Kaneda H, Kagimura T, Akizawa T; LANDMARK Study Group. Design and baseline characteristics of the LANDMARK study. *Clin Exp Nephrol.* 2017 Jun;21(3):531-537.
9. Hihara K, Iyoda M, Tachibana S, Iseri K, Saito T, Yamamoto Y, Suzuki T, Wada Y, Matsumoto K, Shibata T. Anti-Phospholipase A2 Receptor (PLA2R) Antibody and Glomerular PLA2R Expression in Japanese Patients with Membranous Nephropathy. *PLoS One.* 2016 Jun 29;11(6):e0158154.
10. Mizobuchi M, Ogata H, Yamazaki-Nakazawa A, Hosaka N, Kondo F, Koiwa F, Kinugasa E, Shibata T. Cardiac effect of vitamin D receptor modulators in uremic rats. *J Steroid Biochem Mol Biol.* 2016 Oct;163:20-7.

11. Akizawa T, Kurita N, Mizobuchi M, Fukagawa M, Onishi Y, Yamaguchi T, Ellis AR, Fukuma S, Alan Brookhart M, Hasegawa T, Kurokawa K, Fukuhara S. PTH- dependence of the effectiveness of cinacalcet in hemodialysis patients with secondary hyperparathyroidism. *Sci Rep*. 2016 Apr 13;6:19612.
12. Iseri K, Iyoda M, Ohtaki H, Matsumoto K, Wada Y, Suzuki T, Yamamoto Y, Saito T, Hihara K, Tachibana S, Honda K, Shibata T. Therapeutic effects and mechanism of conditioned media from human mesenchymal stem cells on anti-GBM glomerulonephritis in WKY rats. *Am J Physiol Renal Physiol*. 2016 Jun 1;310(11):F1182-91.
13. Yamagata K, Makino H, Iseki K, Ito S, Kimura K, Kusano E, Shibata T, Tomita K, Narita I, Nishino T, Fujigaki Y, Mitarai T, Watanabe T, Wada T, Nakamura T, Matsuo S; Study Group for Frontier of Renal Outcome Modifications in Japan (FROM-J). Effect of Behavior Modification on Outcome in Early- to Moderate-Stage Chronic Kidney Disease: A Cluster-Randomized Trial. *PLoS One*. 2016 Mar 21;11(3):e0151422.
14. Iseri K, Iyoda M, Yamamoto Y, Kobayashi N, Oda T, Yamaguchi Y, Shibata T. Streptococcal Infection-related Nephritis (SIRN) Manifesting Membranoproliferative Glomerulonephritis Type I. *Intern Med*. 2016;55(6):647-50.
15. Wada Y, Iyoda M, Iseri K, Arai-Nunota N, Saito T, Hamada T, Tachibana S, Ikeda M, Shibata T. Combination Therapy of Denosumab and Calcitriol for a Renal Transplant Recipient with Severe Bone Loss due to Therapy-Resistant Hyperparathyroidism. *Tohoku J Exp Med*. 2016 Mar;238(3):205-12.
16. Yokoyama K, Kurita N, Fukuma S, Akizawa T, Fukagawa M, Onishi Y, Kurokawa K, Fukuhara S. Frequent monitoring of mineral metabolism in hemodialysis patients with secondary hyperparathyroidism: associations with achievement of treatment goals and with adjustments in therapy. *Nephrol Dial Transplant*. 2017 Mar 1;32(3):534-541.
17. Akizawa T, Tsubakihara Y, Hirakata H, Watanabe Y, Hase H, Nishi S, Babazono T, Kumagai M, Katakura S, Uemura Y, Ohashi Y; JET-STREAM Study Group. A prospective observational study of early intervention with erythropoietin therapy and renal survival in non-dialysis chronic kidney disease patients with anemia: JET-STREAM Study. *Clin Exp Nephrol*. 2016 Dec;20(6):885-895.
18. Fuller DS, Bieber BA, Pisoni RL, Li Y, Morgenstern H, Akizawa T, Jacobson SH, Locatelli F, Port FK, Robinson BM. International Comparisons to Assess Effects of Payment and Regulatory Changes in the United States on Anemia Practice in Patients on Hemodialysis: The Dialysis Outcomes and Practice Patterns Study. *J Am Soc Nephrol*. 2016 Jul;27(7):2205-15.
19. 齋藤 友広, 猪口 貴子, 橘 翔平, 日原 桂, 濱田 透眞, 溝渕 正英, 柴田 孝則. 重篤な肝不全を合併した常染色体優性多発性嚢胞腎の 1 透析例 日本透析医学会雑誌 (1340-3451)49 巻 8 号 Page547-551(2016.08)

20. 溝渕正英. Ca による FGF23 調節についての検討(原著論文). 日本透析医会雑誌 (0914-7136)31 巻 2 号 Page408-410(2016.08)

## ■書籍・総説

1. Ogata H, Akizawa T, Kinugasa E. What are the Newer Applications for Therapeutic Apheresis in Nephrology?: Clinical Application of Therapeutic Apheresis in Nephrology in Japan. Semin Dial. 2016 Sep;29(5):359-65.
2. 秋澤 忠男. 透析医療の現状と課題(総説). 大阪透析研究会会誌 (0912-6937)34 巻 2 号 Page99-104(2016.09)
3. 保坂 望, 高橋 剛, 齋藤 佳範, 兼島 伸青, 本田 浩一. ケース・スタディ 発熱と右肩の疼痛を認めた維持透析患者の 1 例(症例検討会). 臨床透析 (0910-5808)32 巻 9 号 Page1198-1202(2016.08)
4. 溝渕 正英, 井上 隆. 【最近の腎臓・透析領域の新薬とその使い方のコツ】CKD-MBD 治療薬 ビキサロマー(解説/特集). 腎と透析 (0385-2156)81 巻 2 号 Page224-227(2016.08)
5. 溝渕 正英, 式田 康人. 腎と透析診療指針2016【第17章】腎代替療法(腎移植を除く) 透析に伴う骨・ミネラル代謝異常(成人)(解説/特集). 腎と透析 (0385-2156)80 巻増刊 Page568-571(2016.06)
6. 溝渕 正英, 林 純一. 【高齢化のなかでの CKD-MBD にどう対応するか?】無形成骨 (adynamic bone disease) への対策(解説/特集). 臨床透析 (0910-5808)32 巻 6 号 Page661-667(2016.06).
7. 本田 浩一, 高橋 剛, 保坂 望. 【CKD 患者のサルコペニア・フレイル】【臨床:合併病態】炎症(解説/特集). 腎と透析 (0385-2156)80 巻 5 号 Page699-702(2016.05)
8. 秋澤 忠男, 加藤 徳介. 【透析膜 update-生体適合性からみた評価法と特性】透析膜の生体適合性(解説/特集). 臨床透析 (0910-5808)32 巻 5 号 Page515-520(2016.05)
9. 本田 浩一, 高橋 剛, 兼島 伸青, 保坂 望. 【慢性腎臓病(CKD)診療を極める】CKD 患者のマネージメント 貧血(解説/特集). 内科 (0022-1961)118 巻 1 号 Page25-29(2016.07)
10. 秋澤 忠男, 宍戸 寛治. 【保存期慢性腎臓病患者における高リン血症治療の今日的状況】(座談会/特集). Astellas Square: 明日の医療を考える (1880-0319)12 巻 3 号 Page10-14(2016.06)
11. 式田 康人, 溝渕 正英. 【急性腎障害、慢性腎臓病-その常識は正しいか?-】透析期慢性腎臓病 その常識は正しいか? Ca 製剤の使用は予後を悪化させる(Q&A/特集). 救急・集中治療 (1346-0935)28 巻 3-4 号 Page277-284(2016.03)
12. 本田 浩一. 【急性腎障害、慢性腎臓病-その常識は正しいか?-】透析期慢性腎臓病 その常識は正しいか? 頻回透析、長時間透析は予後を改善する(Q&A/特集). 救急・集中治療 (1346-0935)28 巻 3-4 号 Page265-269(2016.03).